




Owners Guide


About the System

A **pressure sewer system** consists of a pumping appliance installed on your property which is connected to a network of pipes from other pumping units in your area. These pipes transfer wastewater to the municipal sewer system or treatment plant that processes the wastewater. The systems installed are driven by the highly-reliable and robust E/One grinder pump. The diagram to the right details the grinder pump, and below is an example of a pressure sewer network across flat, wet, rocky or hilly terrain.

* Your grinder pump station may be different than model shown.



E/One Grinder Pump Station*



E/One Pressure Sewer System Network

To learn more about how the system works, scan this QR code to watch our overview video.

Property Care



Important Safety Tips

- **Do not touch** the valves
- **Do not turn off the power** to the pump unless in response to a broken discharge pipe
- **Do not block the vent** on the pump station
- **Do not cover** the pump station lid

Making Home Modifications?

Contact E/One or your local distributor if you are making modifications to your home which may affect the system, such as installing a spa, an oversized tub, or extending the house over or near the unit or discharge pipe.

Digging In Yard

Take care when digging in the yard near the pump station or the discharge pipe. If you do accidentally break any pipeline, call the phone number located on the back of this pamphlet immediately and minimize use of water in the house. Do not attempt to repair the system yourself.

Keep Pump Station Accessible

Ensure access is available to the pump station at all times. Keep plant growth and other debris away from the unit.

Long Vacations

If you go on vacation for an extended length of time, flush the system before you go away. Run clean water into the unit until the pump activates. Turn off the water and allow the grinder pump to run until it shuts off automatically. If you have a duplex unit (two pumps), special attention must be taken to ensure that both pumps turn on when water is added to the tank.



Require Further Information About E/One Pressure Sewer Systems?

Learn more by visiting eone.com or by scanning this QR code.

Alarm Going Off?

Follow these easy steps to silence your alarm and determine if a service appointment is needed.

Step 1

Press Button

Press the button located under the alarm panel to silence alarm. This will turn off the sound of the alarm. However, the alarm light will continue to be lit. **Limit water usage.**

Step 2

Wait an Hour

Wait an hour and then check to see if the light on the alarm panel is still on. If the light is off, the system is no longer in alarm; no further action is required.

Step 3

Light Still On?

If the light on the alarm panel is still lit after an hour: call the phone number on the back of this pamphlet so that a service appointment can be scheduled.

Step 4

Call Service

When calling to make your service appointment: Please leave your name, home address and telephone number so that a visit can be scheduled.

DO NOT ATTEMPT TO REPAIR THE UNIT YOURSELF

- If the alarm light is still active after an hour, call the phone number on the back of this pamphlet as a service appointment may be needed. If the alarm sounded and the system subsequently cleared itself, you should consider what caused this to happen.
- The system has a 24-hour emergency storage capacity, depending on water usage, so any repairs should be carried out within the 24-hour period. **Please try to minimize the amount of wastewater going into the system.**
- If you notice any irregularity with the unit, such as the alarm sounding frequently, then call the phone number located on the back of this pamphlet.



Need to Schedule a Service Appointment?

Find your local distributor's contact information by scanning this QR code.

Troubleshooting

Here are solutions to the most common questions or situations.

Is my system damaged and in need of repair?

- If the alarm sounds, follow the alarm procedure on the previous page.
- If there is a break in the discharge pipe, turn off the power to the pump.
- Report the damage by calling the phone number located on the back of this pamphlet and minimize water usage until it is repaired.
- Make sure the service person has easy and safe access to the pump for repair.
- If it is a water supply pipe, turn off your water supply and contact a plumber for repair.

Is the unit emitting an odor?

When operating normally there should be no noticeable odors coming from the unit. If you detect an odor, the unit may need flushing. Just run clean water down your kitchen, laundry or bathroom sink for about 10 minutes. If the odor remains, call the phone number located on the back of this pamphlet.

Noticing wet spots around the pumping unit or the discharge pipe?

The pumping unit and discharge pipe are totally sealed. If you notice wet spots around the unit or pipe and there has not been any recent rain, call the number located on the back of this pamphlet.

Is the alarm going off when it rains?

It means rainwater may be getting into your system and overloading it. Contact your plumber to investigate.

Has there been a power failure?

Reduce water use where possible. The alarm may activate until the unit clears itself. If the alarm remains on for over an hour after the power has been restored, call the phone number located on the back of this pamphlet.

Is the neighbor's alarm going off and they are away?

Call the phone number located on the back of this pamphlet immediately and report the problem. Do not investigate the problem yourself.



A Precision Castparts Company

2773 Balltown Road, Niskayuna, NY 12309-1090

Tel 518.346.6161 Fax 518.346.6188

eone.com

LM000403 Rev G
10/22



GROTON UTILITIES

24 Hour Emergency Service

860-625-1202

Non-Emergency Contact:

860-446-4085